





Bahco

-1. Pliers

-1.1. SIDE CUTTERS

- Side cutting pliers developed according to the scientific ERGO^{TM} process
- · Finish: Black finish, anti-corrosion treated
- Material: High performance alloy steel, ERGO™ handles with 2-component combination, thermoplastic surface on tough polypropylene which gives superior grip
- · Induction hardened cutting edges
- Progressive edges: The cutting radius progresses along the edge in order to cut hard material like piano wire close to the joint and soft materials like copper and plastic insulated wire at the tip
- · Screw joint that provides excellent running and accurate alignment of the cutting edges
- The distance from the joint to the centre of the cutting edges is reduced: giving greater leverage and increased cutting capacity
- · Round shaped jaws give improved accessibility in confined spaces
- Equipped with a patented return spring featuring an on/off function
- IP: Industrial packed

731415+	4	A mm	B mm	C mm	D mm	E mm	E	E	*	9
7314150106462	5	125	14.2	17.0	8.0	1.0	3.5	1.8	1.6	90
7314150106479	5	140	15.9	19.0	8.0	1.5	3.7	2.0	1.8	120
7314150106486	5	160	17.5	21.0	9.0	2.0	3.8	2.5	2.0	170
7314150106493	5	180	19.4	23.0	10.0	2.0	4.0	2.7	2.3	230
7314150106516	5	125	14.2	17.0	8.0	1.0	3.5	1.8	1.6	90
7314150106288	5	140	15.9	19.0	8.0	1.5	3.7	2.0	1.8	120
7314150106295	5	160	17.5	21.0	9.0	2.0	3.8	2.5	2.0	170
7314150106523	5	180	19.4	23.0	10.0	2.0	4.0	2.7	2.3	230
	7314150106462 7314150106479 7314150106486 7314150106493 7314150106516 7314150106288	· · · · · · · · · · · · · · · · · · ·	Amm 7314150106462 5 125 7314150106479 5 140 7314150106498 5 160 7314150106493 5 180 7314150106516 5 125 7314150106288 5 140 7314150106288 5 140	A mm mm 7314150106462 5 125 14.2 7314150106462 5 140 15.9 7314150106486 5 160 17.5 7314150106493 5 180 19.4 7314150106516 5 125 14.2 7314150106288 5 140 15.9	A B C mm mm mm 7314150106462 5 125 14.2 17.0 7314150106479 5 140 15.9 19.0 7314150106486 5 160 17.5 21.0 7314150106493 5 180 19.4 23.0 7314150106516 5 125 14.2 17.0 7314150106288 5 140 15.9 19.0	A B Mmm Mmm Mmm Mmm Mmm 7314150106462 5 125 142 17.0 8.0 7314150106479 5 140 15.9 19.0 8.0 7314150106486 5 160 17.5 21.0 9.0 7314150106493 5 180 19.4 23.0 10.0 7314150106516 5 125 14.2 17.0 8.0 7314150106288 5 140 15.9 19.0 8.0	A B C Mmm Pmm Pmm Pmm Pmm Pmm Pmm Pmm Pmm Pmm	A mm mm cm mm	A mm	A mm







