

DT221



SINGLE-USE HOODED COVERALL IN DELTATEK 6000®

Ref. DT221



Product specifications

Overall with elasticated hood. SMMS non-woven Deltatek® 6000. Fastening with zip under adhesive flap (top and bottom opening). Elasticated round head, waist and ankles. Knitted wrist. Antistatic. Individual airtight pack.

Nonwoven Deltatek® 6000: 100% SMMS 60 g/m².
S (Polypropylene) - MM (several layers of blown molten polypropylene) - S (Polypropylene).

COLOUR

White

SIZE

M, L, XL, XXL

Product Use - Risks



Antistatic



Biological chemical particles



Construction / Civil engineering



Second work / craftman



Light industry

Product's highlights & user's benefits



DELTATEK® 6000
100 % polypropylene SMMS*.
* Non woven Spunbound (x1), Melt Blown (x2), Spunbound (x1)
The SMMS* process allows good product breathability.



Breathable



Zip with self adhesive flap
DT117 - DT119 - DT221



Elasticated cuffs
DT117 - DT119 - DT221



Elasticated ankles
DT117 - DT119 - DT221



DELTATEK 6000

Certifications and Standards



EN ISO 13688:2013 General requirements



EN ISO 13982-1:2004+A1:2010 Protective clothing for use against solid particulates - Type 5 clothing

TYPE 5: Protection against dust (asbestos) - Type 5



EN13034:2005+A1:2009 Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 equipment)

TYPE 6: Limited protection against liquid chemicals Type 6



EN1073-2:2002 Requirements and test methods for non-ventilated protective clothing against particulate radioactive contamination

CLASS 1: Radioactivité - Facteur de protection 5 - Classe 1



EN1149-5:2008 Electrostatic properties - Part 5: Material performance and design requirements

References

References	Bar code	COLOUR	SIZE		
DT221TM	3295249181086	White	M	20	-
DT221GT	3295249181093	White	L	20	-
DT221XG	3295249181116	White	XL	20	-
DT221XX	3295249181123	White	XXL	20	-